

Page 1

ASHAKOTE[®] Aqueous Ethyl Cellulose Dispersion

Asha Cellulose (I) Pvt Ltd is the *only* company in the world to produce both the Ethylcellulose polymer and Aqueous Ethylcellulose Dispersion.

Ashakote is 30% aqueous dispersion of Ethyl cellulose complying with Ethylcellulose Aqueous Dispersion NF.


Benefits of Ashakote


- Reduced coating process time
- Environment friendly product
- No residual solvent toxicity
- Suitable for sustained release, taste masking and moisture barrier
- pH independent release
- No Fed state vs Fasted state issues
- Lot of data in form of research articles, poster presentations already available
- No ammonia system
- Low viscosity, non-tacky
- Ease of cleaning


Product Specifications:

Test	Specification
Identification	Pass
рН	4.0 – 7.0
Specific gravity	1.025 – 1.040
Viscosity, cps	NMT 150
Loss on drying %	68.0 – 71.0
Ethyl cellulose %	24.5 – 29.5
Sodium lauryl sulphate %	0.9 – 1.7
Cetyl alcohol %	1.7 – 3.3
Hydrogen peroxide, ppm	NMT 50
Heavy metals %	NMT 0.001
Total aerobic microbial count/gm	NMT 100
Total yeast and mold count/gm	NMT 20

Page 3








Page 4

Method of use:



Packing:

Storage:

- Should be stored at room temperature (20-25[°]C)
- Should not be exposed to freezing or near freezing temperatures or temperature above 35^o C.

Shelf life:

24 months from the date of manufacturing

Contact Details



www.ashacel.com